

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Demotec 95 Powder

Product group: Powder component

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Hoofcare system based on acrylic adhesive.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Demotec Demel e.K.

Street: Brentanostraße 22

Place: D-61130 Nidderau

Telephone: +49 (0)6187-905670

Telefax: +49 (0)6187-9056711

e-mail: demotec@demotec.de

Contact person: Alexander Demel

Telephone: +49 (0)6187-905670

e-mail: demotec@demotec.de

Internet: www.demotec.de

#### 1.4. Emergency telephone number:

Berlin +49 (0)30 - 19240

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xi - Irritant

R phrases:

May cause sensitisation by skin contact.

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Respiratory/skin sensitization: Skin Sens. 1

Hazard Statements:

May cause an allergic skin reaction.

#### 2.2. Label elements

##### Hazardous components which must be listed on the label

dibenzoyl peroxide; benzoyl peroxide

Signal word: Warning

Pictograms: GHS07



##### Hazard statements

H317

May cause an allergic skin reaction.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 2 of 8

### Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P341	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture on basis of acrylic powder and catalyst.

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
202-327-6	dibenzoyl peroxide; benzoyl peroxide	1 - < 5 %
94-36-0	E - Explosive, O - Oxidizing, Xi - Irritant R03-07-36-43 Org. Perox. B, Eye Irrit. 2, Skin Sens. 1; H241 H319 H317	

Full text of R-, H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 3 of 8

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid generation of dust. Do not breathe dust.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

No special measures are necessary.

##### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed.

##### Advice on storage compatibility

No special measures are necessary.

#### 7.3. Specific end use(s)

Hoofcare system.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
94-36-0	dibenzoyl peroxide; benzoyl peroxide		5		TWA (8 h)	E
		-	-		STEL (15 min)	E
	Acrylic powder	3	10		TWA (8 h)	

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 4 of 8

STEL (15 min)

### 8.2. Exposure controls

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including

the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Powder
Colour:	white
Odour:	characteristic

#### Test method

pH-Value:	not determined
-----------	----------------

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Softening point:	ca. 110 °C
Flash point:	> 250 °C

#### Flammability

Solid:	not determined
Gas:	not applicable

Lower explosion limits:	not determined
Upper explosion limits:	not determined

#### Auto-ignition temperature

Solid:	not determined
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

#### Oxidizing properties

Not oxidizing.

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	1,16 g/cm <sup>3</sup>
---------------------	------------------------

Bulk density (at 20 °C):	700 - 750 kg/m <sup>3</sup>
--------------------------	-----------------------------

Water solubility:	insoluble
-------------------	-----------

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 5 of 8

### Solubility in other solvents

not determined

Partition coefficient:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

### 9.2. Other information

Solid content:

100 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Oxidising, Oxidising.

### 10.2. Chemical stability

May cause decomposition by long-term light influence.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Combustible substance, Alkali metals, Alkaline earth metal, Heavy metals, Metal powder, Acid, Base.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

Keep away from combustible material.

### 10.6. Hazardous decomposition products

Formation of: Oxygen.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (dibenzoyl peroxide; benzoyl peroxide)

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 6 of 8

#### SECTION 12: Ecological information

##### 12.1. Toxicity

The product is not: Ecotoxic.

##### 12.2. Persistence and degradability

The product has not been tested.

##### 12.3. Bioaccumulative potential

The product has not been tested.

##### 12.4. Mobility in soil

The product has not been tested.

##### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

##### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

###### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

##### Inland waterways transport (ADN)

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

##### Marine transport (IMDG)

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 7 of 8

#### Air transport (ICAO)

- 4.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

##### Additional information

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

##### National regulatory information

Water contaminating class (D): 2 - water contaminating  
 Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Relevant R-phrases (Number and full text)

- 03 Extreme risk of explosion by shock, friction, fire or other sources of ignition.  
 07 May cause fire.  
 36 Irritating to eyes.  
 43 May cause sensitisation by skin contact.

#### Relevant H- and EUH-phrases (Number and full text)

- H241 Heating may cause a fire or explosion.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.

#### Further Information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Demotec 95 Powder

Print date: 03.02.2015

Product code: 21453

Page 8 of 8

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*