

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
 - Trade name: Technovit 6091 liquid
 - · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the preparation
 Resin for the treatment of claws and extracutaneous splinting
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Heraeus Kulzer GmbH

Grüner Weg 11, D-63450 Hanau Tel.: +49 (0)6081 959-365 (Wehrheim)

· Informing department:

Product Management Technique Tel.: +49 6081 959-367

Fax: +49 6081 959-367

email: technik.wehrheim@kulzer-dental.com

Emergency telephone number:

Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

2 Hazards identification

- · Classification of the substance or mixture
 - · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

F; Highly flammable

R11: Highly flammable.

R33: Danger of cumulative effects.

Information concerning particular hazards for human and environment:
 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · Label elements
 - Labelling according to EU guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

· Code letter and hazard designation of product:





Xn Harmful F Highly flammable

 Hazard-determining components of labelling: methyl methacrylate
 2-hydroxyethyl methacrylate

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

Trade name: Technovit 6091 liquid

(Contd. of page 1)

N,N-dimethyl-p-toluidine

· Risk phrases:

11 Highly flammable.

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

33 Danger of cumulative effects.

36/37/38 Irritating to eyes, respiratory system and skin.

43 May cause sensitisation by skin contact.

· Safety phrases:

9 Keep container in a well-ventilated place.

16 Keep away from sources of ignition - No smoking.

- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of water.
- 33 Take precautionary measures against static discharges.
- 36/37 Wear suitable protective clothing and gloves.

Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · **Description:** Product based on methacrylates

· Dangerous components:		
CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-000	methyl methacrylate Xi R37/38; Xi R43; F R11	50-75%
CAS: 868-77-9 EINECS: 212-782-2	2-hydroxyethyl methacrylate Xi R36/38; Xi R43	25-50%
CAS: 79-39-0 EINECS: 201-202-3	methacrylamide Xn R20/22	0-5%
CAS: 99-97-8 EINECS: 202-805-4	N,N-dimethyl-p-toluidine T R23/24/25 R33-52/53	0-5%

[·] Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· Description of first aid measures

· General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Instantly call for doctor.

Product based on methacrylates

· Information for doctor

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

Trade name: Technovit 6091 liquid

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
 - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents Water.
- · Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.
Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- Protective equipment: Put on breathing apparatus.
- · Additional information -

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Dispose of contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

No dangerous materials are released.

See Section 8 for information on personal protection equipment.

7 Handling and storage

- · Handling
 - Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: Store in cool location.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Store cool (not above 25 °C).

Store in cool, dry conditions in well sealed containers.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

Trade name: Technovit 6091 liquid

(Contd. of page 3)

· Control parameters

· Components with critical values that require monitoring at the workplace:

80-62-6 methyl methacrylate

OES () Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Protection of hands:

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

 PVA gloves
- · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Chloroprene rubber, CR

- · Eye protection: Protective goggles are recommended.
- · Body protection: Light weight protective clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
 - General Information
 - · Appearance:

Form: Fluid
Colour: Colourless
Smell: Characteristic

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

Trade name: Technovit 6091 liquid

	(Contd. of page 4	
Change in condition Melting point/Melting i Boiling point/Boiling r	range: Not determined ange: 101°C	
· Flash point:	12 °C	
· Ignition temperature:	430.0 °C	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapour mixtures is possible.	
· Critical values for explos · Lower: · Upper:	ion: 2.1 Vol % 12.5 Vol %	
· Steam pressure at 20 °C:	47 hPa	
· Density at 20 °C	0.95 g/cm³	
Solubility in / Miscibility v Water:	vith Not miscible or difficult to mix	
· Viscosity: · dynamic at 20 °C:	50 mPas	
· Solvent content:		
· Solids content: · Other information	3.1 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity
 - · Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None
- · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:
 - · LD/LC50 values that are relevant for classification:

99-97-8 N,N-dimethyl-p-toluidine

Oral LD50 500 mg/kg (rat)
Dermal LD50 3 mg/kg (rat)

- · Primary irritant effect:
 - on the skin: Irritant for skin and mucous membranes.
 - · on the eye: Irritant effect.
- · Sensitization: Sensitization possible by skin contact.

(Contd. on page 6)



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

Trade name: Technovit 6091 liquid

(Contd. of page 5)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant

12 Ecological information

- · Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Śmall quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

- · Waste disposal key number: 55370
- · European waste catalogue

18 02 05 chemicals consisting of or containing dangerous substances

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
1247		
1247 METHYL METHACRYLATE MONOMEI		
STABILIZED, solution METHYL METHACRYLATE MONOMER STABILIZED, solution		

(Contd. on page 7)



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2013 Revision: 02.12.2013

Trade name: Technovit 6091 liquid

(Contd. of page 6)

· Transport hazard class(es)

· ADR



· Class 3 (F1) Flammable liquids. · Label

· IMDG, IATA



3 Flammable liquids. · Class

· Label

· Packing group · ADR, IMDG, IATA

11 · Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids.

· Kemler Number: 339 F-E,S-D · EMS Number:

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Highly flammable. R11

R20/22 Harmful by inhalation and if swallowed.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

Danger of cumulative effects. R33 R36/38 Irritating to eyes and skin.

R37/38 Irritating to respiratory system and skin. R43 May cause sensitisation by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· * Data compared to the previous version altered.